

FIG. 1

( )




FIG. 2

i )




FIG. 3




FIG. 4




FIG. 5

 $\left\{ \cdot \right\}$ 




FIG. 6




FIG. 7

(




FIG. 8




FIG. 9

<del>( )</del>





FIG. 10

1)



 $\widehat{(\ )}$ 




FIG. 12

## 13/31





FIG. 13A

 $\widehat{()}$ 

FIG. 13B







FIG. 14

## 15/31








FIG. 16



(






FIG. 19







FIG. 20










FIG. 24




FIG. 25




FIG. 26




FIG. 2




FIG. 28




FIG. 29




FIG. 30

## 31/31

## **EXPLANATION OF REFERENCE**

Comment of the second

101: First electrode, 102: Second electrode, 111: Hole generating layer, 112: Hole transporting layer, 113: Light emitting layer, 114: Electron transporting layer, 115: Electron generating layer, 116: Electron injecting layer, 117: Hole blocking layer, 201: First electrode, 202: Second electrode, 211: Third layer, 212: Second layer, 213: First layer, 221: Electron transporting layer, 222: Light emitting layer, 223: Hole transporting layer, 224: Hole generating layer, 225: Hole injecting layer, 226: Hole blocking layer, 6500: Substrate, 6503: FPC, 6504: Printed wiring board, 6511: Pixel portion, 6512: Source signal line driving circuit, 6513: Writing gate signal line driver circuit, 6514: Erasing gate signal line driver circuit, 901: Transistor, 902: Transistor, 903: Light emitting element, 911: Gate signal line, 912: Source signal line, 913: Writing gate signal line driver circuit, 914: Erasing gate signal line driver circuit, 915: Source signal line driver circuit, 916: Power source, 917: Current supply line, 918: Switch, 919: Switch, 920: Switch, 1001: Transistor, 1002: Transistor, 1003: Gate signal line. 1004: Source signal line, 1005: Current supply line, 1006: Electrode, 501: Sub-frame, 502: Sub-frame, 503: Sub-frame, 504: Sub-frame, 501a: Writing period, 501b: Holding period, 502a: Writing period, 502b: Holding period, 503a: Writing period, 503b: Holding period, 504a: Writing period, 504b: Holding period, 504c: Erasing period, 504d: Non-light emitting period, 10: Substrate. 11: Transistor, 12: Light emitting element, 13: First electrode, 14: Second electrode, 15: Layer, 16: Interlayer insulating film, 17: Wiring, 18: Partition wall layer, 19: Interlayer insulating film, 951: Substrate, 952: Electrode, 956: Electrode, 955: Layer, 954: Partition wall layer, 953: Insulating layer, 5521: Main body, 5522: Chassis, 5523: Display portion, 5524: Keyboard, 5511: Chassis, 5512: Liquid crystal device, 5513: Light emitting device, 5514: Chassis, 5515: External input terminal, 5516: Light emitting element array, 5551: Display portion, 5552: Main body, 5553: Antenna, 5554: Voice output portion, 5555: Voice input portion, 5556: Operation switch, 5531: Display portion, 5532: Chassis, and 5533: Speaker.